The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24954

Stream : Sand Creek

Applicant : Decatur County Rural Water Corporation, Inc.

208 West Main Street, Suite #3 Greensburg, IN 47240-1690

Description : A 3" diameter water main will be placed beneath Sand Creek to provide water

service to residents. The line will be placed by the directional bore method. It will have 4' of cover beneath the streambed and 5.9' to 8.8' in the banks. Details of the project are contained in information and plans received at the Division of

Water on August 13, 2008.

Location : Approximately 40' downstream from West County Road 600 South stream

crossing

near Greensburg, Sand Creek Township, Decatur County N½, N½, NW¼, Section 9, T 9N, R 9E, Westport Quadrangle

Quad Code: 3908525

UTM Coordinates: Downstream 4345209 North, 626555 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24962

Stream : Ohio River

Applicant : Charlie Harrett

415 Shore Acres Drive Utica, IN 47130-9469

Description : A new 30' by 40' elevated residential structure will be constructed in the floodway.

The structure's main floor (habitable living space) will have a finished floor elevation of 454.0', NGVD29. The new structure will have an enclosure underneath for a garage. The reinforced concrete walls of the garage will be equipped with vents to allow for the passage of floodwaters. Details of the project are contained in information and plans received at the Division of Water on

August 21, 2008.

Location : 415 Shore Acres Drive; at the southwest corner of the Church Street and Shore

Acres Drive intersection

near Utica, Utica Township, Clark County

Clark Military Grant #7, Jeffersonville, IN-KY Quadrangle

Quad Code: 3808536

UTM Coordinates: Downstream 4243322 North, 617713 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24963

Stream : Killbuck Creek

Applicant : Madison County Highway Department

Charles Leser

2830 West Eighth Street Anderson, IN 46011-1949

Description : The existing steel truss bridge carrying Grand Avenue over Killbuck Creek will be

replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a 1-span continuous prestressed concrete I-beam bridge with span length of 86 ft. The structure will have an out-to-out length of 43'-4" and a clear roadway width of 26 ft. The spill through abutments will have 2:1 sideslopes armored with revetment rip-rap over a geotextile fabric. The abutments and piers will have no skew. The new approach roads will be on the same elevation as existing approaches. The existing structure will be completely

removed. Details of the project are contained in information received electronically at the Division of Water on August 22, 2008 and in plans and

information received at the Division of Water on

Location : At the Grand Avenue crossing

at Anderson, Anderson Township, Madison County

Section 12, T 19N, R 7E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24964

Stream : St. Joseph River

Applicant : Sisters of the Holy Cross

Tom Stimson Saint Mary's Lourdes Hall 100 South Bend, IN 46556

Description : Approximately 70' of river bank along the St. Joseph River will be stabilized using

a rock toe consisting of large boulders and rip rap and up to eight soil

encapsulated lifts on top of the rock toe. The lifts will be vegetated with native prairie and native shrubs. Geogrid will be installed in the lifts for structural stability. The remainder of the slope will be backfilled to near preexisting grade, seeded with prairie grasses, and covered with an erosion control blanket. The slope will then be pinned with live stakes to decrease the likelihood of the fill migrating downslope. Surface water runoff from above will be captured in a Water and Sediment Control Basin (WASCOB) and the water piped to the bottom

of the slope (under the backfill and lifts proposed above) to eliminate potential

scour on the new slope surface. Details of the project are contained in information received electronically at the Division of Water on August 22, 2008

and in plans and information received at the Division of Water on

Location : Approximately ½ mile west of Business 31/933 and 100 feet south of Le Mans Dr,

the project site is located on the north bank of the St. Joseph River.

At South Bend, Portage Township, St. Joseph County Section 35, T 38N, R 2E, South Bend West Quadrangle

Quad Code: 4108663

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : PL-21108

Lake : Sylvan Lake

Applicant : Daniel F Diggins

5436 East 600 North

Kendallville, IN 46755-9362

Description : An aerator will be placed approximately 4' below water level to protect an existing

pier from ice damage. The open water will extend only around the perimeter of the pier. Details of the project are contained in information and plans received at

the Division of Water on July 16, 2008.

Location : #879 Harbor Court, Lot #3, Routzahn's Addition to Pensiola Retreat

near Rome City, Orange Township, Noble County

SE¼, NW¼, SW¼, Section 15, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4593984 North, 636743 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21122

Lake : Adams Lake

Applicant : David W Miller

PO Box 237

Pendleton, IN 46064-0237

Description : Dredging is proposed along approximately 110' of the frontage of two properties.

The dredging will increase the depth of the existing 14' wide channel to

approximately 5' below the legally established level of the lake. Approximately 3' of material will be removed from the lake bed, beginning at the center of the channel and uniformly sloping back to the shoreline. Details of the project are contained in information and plans received at the Division of Water on August 4,

2008, August 14, 2008 and August 25, 2008.

Location : 5840 South 550 East; approximately 470' west and 1140' north of the East 600

South and South 550 West intersection

DOWNSTREAM: near Woodruff, Johnson Township, LaGrange County SE¼, SE¼, SW¼, Section 24, T 36N, R 10E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4601979 North, 640084 East

UPSTREAM:

UTM Coordinates: Upstream 4601989 North, 640080 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21125

Lake : Hamilton Lake

Applicant : Rex L Williamson

10267 Road 95

Paulding, OH 45879-9201

Description : A new concrete retaining wall will be constructed across 91' of the applicant's

frontage. The lakeward face of the wall will be located ten (10) feet landward of the lake's legal shoreline. The existing legal shoreline will be excavated from the concrete retaining wall down to the legal shoreline to allow for a walk in beach. Details of the project are contained in information and plans received at the

Division of Water on August 6, 2008.

Location : 240 Lane 280AA; Lot 5 of Blue Heron Bay

near Hamilton, Otsego Township, Steuben County

NE¼, NE¼, NW¼, Section 28, T 36N, R 14E, Hamilton Quadrangle

Quad Code: 4108458

UTM Coordinates: Downstream 4602750 North, 673093 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21128

Lake : Sylvan Lake

Applicant : Phillip G & Marcia Rodenbeck

6308 Southhampton Court Fort Wayne, IN 46814-3278

Description : An existing 7' by 20' boatwell will be filled with a clean non-toxic material. A

straight concrete seawall will be constructed across the well's 7' frontage to contain the fill material. The new concrete seawall will be constructed along the lake's legal shoreline and will connect to adjacent concrete seawalls at both ends.

Details of the project are contained in information and plans received at the

Division of Water on August 8, 2008 and August 20, 2008.

Location : 1195 Pleasant Point; Lots 2 and 3 of Beechwood Addition

near Rome City, Orange Township, Noble County

NW¼, NE¼, NE¼, Section 22, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4593534 North, 637777 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21139

Lake : Koontz Lake

Applicant : Lisa Fishering

James C Brown 4114 Oak-Hill St Walkerton, IN 46574

Fultz Excavating & Dredging

James C Brown 400 E Palm Dr

Syracuse, In 46567-1952

Description : The steel pipes and ties will be removed. The shoreline will be covered with

Geotextile Fabric then with field stone. An existing 6" average deep 60' by 30' lake front area will be dredged out in a one step method with a hydraulic pump to a maximum depth of 3' in the center of the channel tapered up to about 4' out from the sides to maintain boat traffic. All dredge material will be pumped to trucks and immediately hauled off site to an upland site for proper disposal. A 25' by 25' underwater beach (625 sq, ft) will be installed in the center of the property; clean pea gravel will be pumped to the lake and spread in a very uniform 6" layer by working a floating discharge hose. Details of the project are contained in information received electronically at the Division of Water on August 14, 2008

and in plans and information received at the Division of Water on

Location : 4114 Oak-Hill Street; South east side of Koontz Lake

near Walkerton, Polk Township, Marshall County

Section 7, T 34N, R 1E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21141

Lake : Big Long Lake

Applicant : Norman B Lightfoot

9885 East 645 South

Wolcottville, IN 46795-8735

Description : A new glacial stone seawall will be constructed across 90' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing railroad tie timber seawall will be completely removed. Details of the project are contained in information and plans received at the

Division of Water on August 13, 2008.

Location : 9885 East 645 South; Lots 12, 13 and 14 of Tall Timbers First Addition

near South Milford, Milford Township, LaGrange County

NE¼, SE¼, NE¼, Section 27, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4601431 North, 647274 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21144

Lake : Lake Maxinkuckee

Applicant : Culver Acadamies

Jeff Kutch, PE

1300 Acadamy Road, Bldg #154

Culver, IN 46511-1234

Description : A stormwater drainage structure will be constructed landward of the legal

shoreline. The proposed 90' long 8' by 2' concrete culvert will terminate approximately 38' from the shoreline of the lake and will outfall into an energy dissipating spillway constructed with concrete sidewalls and a stone bottom lined with geo-textile fabric for erosion control. The spillway will terminate at the shoreline of the lake and will have a bottom elevation of 733.15' (NGVD29). Approximately 47' of an existing concrete and stone seawall will be removed to

permit the installation of the spillway. Details of the project are contained in information and plans received at the Division of Water on August 14, 2008.

Location : Along the north shoreline of Lake Maxinkuckee, 800' west of State Road 117

at Culver, Union Township, Marshall County

SW¼, SE¼, NW¼, Section 15, T 32N, R 11E, Culver Quadrangle

Quad Code: 4108624

UTM Coordinates: Downstream 4563675 North, 550250 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21153

Lake : Jimmerson Lake

Applicant : Randall T Lehman

8515 Castle Creek Drive Fort Wayne, IN 46804

Description : A new underwater beach will be constructed in front of the property of the

applicant on 80 Lane 205B Jimmerson Lake to provide an area suitable for swimming. The beach will consist of a 4"inch to 6"inch thick layer of 7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 50' west of the northern property line and will extend easterly across 50' of the 100ft frontage. It will have a maximum lakeward projection of 30' or a depth of 6ft below the legal level of the lake. Details of the project are contained in information received electronically at the Division of Water on August

25, 2008 and in plans and information received at the Division of Water on

Location : 80 Lane 205B Jimmerson Lake; along the southern shoreline of Jimmerson

Lake, across frontage of Tanglewood Lot 29 S FR 1/2 Sec 32.52A

near Angola, Steuben Township, Steuben County

Section 32, T 38N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21154

Lake : Jimmerson Lake

Applicant : Randall T Lehman

8515 Castle Creek Drive Fort Wayne, IN 46804

Description : An existing stone seawall will be rebuilt along the frontage of the applicant on 80

Lane 205B Jimmerson Lake to deter shoreline erosion. The wall will be approximately 100' long. Its lakeward face will be at the legal shoreline of the lake. In addition, a reinforced concrete sidewalk across the 100' long landside frontage on 80 Lane 205B Jimmerson Lake will be constructed. This sidewalk will be reinforced will steel rods and will not drop below the lakeward water level. The sidewalk will be 4' wide. The rebuilt stone seawall will be barrier between water and area landward of rebuilt seawall. Details of the project are contained in information received electronically at the Division of Water on August 25, 2008

and in plans and information received at the Division of Water on

Location : 80 Lane 205B Jimmerson Lake; along the southern shoreline of Jimmerson lake,

across frontage of Tanglewood Lot 29 FR1/2 Sec 32.52A

near Angola, Steuben Township, Steuben County

Section 32, T 38N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21155

Lake : Lake Wawasee

Applicant : Margaret Schwartz

Ronald Schwartz

12661 North Rainey Road East Syracuse, IN 46567-9710

Description : An existing concrete seawall will be refaced with a new vinyl wall along 45' of the

applicant's property following the lakes legal shoreline. The wall will consist of 18" by 12' sheets driven 8' into the lakebed leaving a 4' exposure from the lake bottom. The wall will then be caped with an aluminum cap with a heavy aluminum whale insert under the cap that will be tied back to the bank every 4.5' with are deadmen system. Clean pea stone will be used for backfill behind the wall then topped of with 3 to 4" of screened topsoil graded to the existing ground level. Details of the project are contained in information received electronically at the Division of Water on August 26, 2008 and in plans and information received at the

Division of Water on

Location : 12661 North Rainey Road East

near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake